

POND AID**All You Need for Healthy Fish**

The most economical way to treat your pond.

Bacterad - For fin-rot, ulcers and flukes

Eradick - For parasites and fungus

The two products in this pack can be used to treat the most common diseases which occur in garden pond fish. They are safe to use with sensitive fish such as orfe and sterlet and do not harm pond plants.

The following pages give more details of these two products which you can buy together in this **All You Need** bargain pack



POND AID

Bacterad

Single dose pond water control of skin/gill flukes and bacteria which cause tail/fin rot, ulcers and sluggish behaviour of fishes.

Rotting fins and tails are obvious signs of bacterial disease.

Other conditions may not be quite so easy to observe.

When fish are seen gasping at the surface or by waterfalls, it is possible that they have a gill fluke infection. There may also be some fin and tail-rot.

Bacterad is an effective treatment for both flukes and bacterial problems such as fin and tail-rot.

Before treating with Bacterad:

Remove adsorbent filter material - carbon, zeolite etc.

- Switch off UV
- Increase Aeration
- Allow plenty of time to observe fish
- Do not mix medications
- Leave 10 days between treatments if no improvement is seen

Dosage:

Add 10 ml to 40 gallons (180 litres) of tap water.

Pack size	Treats		
	Litres	Imp. Gallons	US Gallons
250 ml	4 546	1 000	1 200
500 ml	9 000	2 000	2 400
1000 ml	18 000	4 000	4 800



POND AID

Eradick

Pond water control of parasites such as White Spot, Trichodina, Costia and Fungus on fishes. Use daily over 5 consecutive days as a full course of treatment. Single dose in spring, when introducing fishes or as a monthly safeguard.

First choice in treating ailments.

Some parasite infections are clear to see. White spot can be seen by observing white spots on the skin of the fish rather like grains of salt. They can often be seen better on the fins and tail and should be visible all over the fish. White spots seen only on the gill covers may not be parasitic.

Other skin parasites can only be diagnosed by microscopic examination but symptoms can be excessive mucus, a grey layer over the skin as well as drooping fins and tail.

Many of these parasites have several stages in their life cycles and it is important to treat over several days in order to “catch” all the emerging parasites and stop re-infection.

Eradick has, for many years, been the parasite treatment of choice. Added every day for 5 days, it can be used to treat all kinds of pond fish and can also be used as a single dose once a month during the season.

Before treating with Eradick:

- Remove adsorbent filter material - carbon, zeolite etc.
- Switch off UV
- Increase Aeration
- Allow plenty of time to observe fish
- Do not mix medications
- Leave 10 days between treatments if no improvement is seen

Dosage:

Add 10 ml to 200 gallons (900 litres) of water every day for 5 days.

Pack size	Treats		
	Litres	Imp. Gallons	US Gallons
250 ml	5 x 4 546	5 x 1 000	5 x 1 200
500 ml	5 x 9 000	5 x 2 000	5 x 2 400
1000 ml	5 x 18 000	5 x 4 000	5 x 4 800