

# Quick & Easy To Install Maintenance Free Fencing

NEVER NEEDS TREATING!



Will Never Rot, Flake, Peel, Crack, Chip Or Split



Slots Into Concrete Posts




Great Value, Maintenance Free and Easy Installation



# FENCING™



[www.cheshireluxurypools.co.uk](http://www.cheshireluxurypools.co.uk)



**Incredibly light**

At around 5KG's Wood-Grain is a pleasure to work with. Wood-Grain is incredibly light and strong, making general handling and transportation easy. The health & safety risks ever present with concrete fence posts are eliminated.



**Replace your rotten panels**

Simply remove your old panels from your concrete posts and then slot the Eco Fencing gravel boards in place. In an instant you have a maintenance free fence which not only looks good but is easy to install and never needs treating



**Can be cut with a handsaw**

Because Wood-Grain is so easy to cut, Gravel Boards can be easily trimmed to suit popular European fence panels which are 1.8m wide. Wood-Grain will also accept screws to secure your fence into position.



**Wood-Grain has strength**

In independent testing Wood-Grain proved that it has a much greater tensile strength than concrete posts, as the combined weight of 56 stone demonstrates! It will even flex in strong winds.



**Looks and feels like wood**


Wood-Grain's unique finish will add beauty and complement your garden for years to come. Unlike concrete Wood-Grain's dual face means you can also share the cost.



**Environmentally friendly**

Wood-Grain is manufactured from 92% recycled materials. In using Wood-Grain you can be assured that you are protecting the world's natural resources and helping the environment.





## Wood-Grain has a stronger tensile strength than concrete posts

The concrete post cracked and could not therefore recover, rendering the post non-serviceable. The Wood-Grain post deflected the same amount, it follows therefore that Wood-Grain posts possess a significant tensile strength that concrete posts do not.

Stephen Barker  
I.Eng. M.I.I.E., Chief Test Engineer

UNIVERSITY OF  
BRADFORD

## Install Traditionally

The installation of a Wood-Grain Fencing System is easy and straightforward. Wood-Grain can be sawn and fixed using traditional methods or it can be used with a Supaspikes, which makes the installation process a lot simpler as there is no digging and no need for concrete.

### Step 1

Dig a hole with a minimum depth of around 60cm (24").



### Step 2

Place the post inside the hole, making sure it is straight, then add the concrete.



### Step 3

Simply attach your gravel boards and wooden fence panels.



## Or install with Supaspikes

No digging, no need for concrete

### Step 1

Place the Supaspikes in position. Drive the fins 10cm below the surface.



### Step 2

Place the post over the top of the Supaspikes and lower to the ground.



### Step 3

Once in position, screw down as shown.



### Step 4

Simply attach your gravel boards and wooden fence panels.




## Posts - strong and light



Choice of two colours:  
NATURAL WALNUT

Available in:  
6ft - 1.8m  
7ft - 2.1m  
8ft - 2.4m\*  
9ft - 2.7m\*  
10ft - 3m\*



\* Includes steel insert.



\* STEEL REINFORCED

## Gravel Boards - for the perfect finish

Gravel Boards available in: 6ft [1.828m] x 300mm x 50mm  
8ft [2.4m] x 300mm x 50mm

Convex and Concave available in both colours.



# ECO Fencing Accessories

## Utility Strip - does it all

For Corners and 3 way connections.



## Post Caps

Flat, Acorn or Globe.



## NEW - Timber Caps & Finials

Flat, Acorn or Globe. Temple



## Supaspike & Bolt Down

The Supaspike is incredibly easy to install. Just drive it into the ground and place the post over the top of the spike. For solid surfaces such as driveways and pavements use the Supaspike Bolt Down.



## Anti Theft Clip

Protect your fencing against theft.



## A Handy Tip

You can easily build your own fence made entirely from Wood-Grain gravel boards.



The Company or seller offer a 10 year warranty against rotting, warping, staining and flaking. In the event of proven manufacturing defect Company or seller's total liability shall under no circumstances exceed the price of the defective item. Company or seller shall not in any way be responsible for additional, consequential costs or losses. Company or seller accepts no responsibility for defects to products caused by incorrect fitting, misuse or abuse. This warranty does not cover any changes to the colour of the product due to natural weathering. Registered Design No.

Wood-Grain Fencing is a division of Atkinsons Fencing Limited. Fencing Designs & Photographs ©Atkinsons Fencing. Colours may vary from photos and production batches.

01 360



Crystal Enterprises Ltd  
www.cheshireluxurypools.co.uk  
www.purepool.co.uk  
©2015-16

www.cheshireluxurypools.co.uk